

REDUST

SPORT LINE



WWW.REDUST.COM

REDUST GmbH - Weser Str. 4 - 47506 Neukirchen-Vluyn
Tel.-Nr. 02845 / 984 60 12

Aerodynamics and appearance



REDUST wheel arch extensions

- Impressive appearance for your Duster
 - Increases the vehicle width by 20 mm on each side.
 - Perfect fit – designed specifically for the Dacia Duster III
 - Effortless and secure installation – no adhesive necessary
 - Are affixed to the original wheel arches.
 - Also compatible with vehicles equipped with the City package (PDC front).
 - Constructed from premium ABS plastic – resilient and enduring
 - Available in a matte black rough texture or a smooth glossy black finish.
 - Registration-free, courtesy of TTG (ABE)
- For vehicles equipped with PDC sensors, the designated openings for the sensors in the front bumper must be machined.



REDUST roof edge spoiler

- Sporty aesthetic and unique design – An ideal enhancement for your Dacia Duster III.
- Superior craftsmanship and resilient ABS plastic
- Bespoke manufacturing for the Dacia Duster III – no modifications necessary.
- Available in a matte black rough texture or a smooth glossy black finish.
- Effortless installation with the included Sikaflex adhesive.
- Registration-free, courtesy of TTG (ABE)



REDUST side window decal set


- Exclusive design for a captivating appearance – complementing the Y-style of the Dacia Duster.
- Ideal fit for the Dacia Duster III – designed specifically for the side windows.
- Impressive Y-design for a distinctive and contemporary appearance.
- Premium, resilient material – impervious to environmental factors
- Simple to apply and remove without leaving any residue.
- Available with or without the "REDUST" logo.
- This product is not subject to registration.



REDUST stainless steel exhaust shield

- A sporty and sophisticated enhancement for the rear of your Dacia Duster III.
- Constructed from premium stainless steel – resilient and weather-resistant.
- Available in two colors: matte black or chrome, featuring the REDUST logo.
- Ideal compatibility for Duster III models: TCe 130 (2WD & 4WD) and Hybrid 140.
- This product is not subject to registration.

Wheels and framework



REDUST alloy wheels, 19 inches

- Rim size: 8.5 J x 19 inches, bolt pattern: 5 x 114.3, offset: 35
- Approved tire dimensions: 235/45 R 19
- Impressive multi-spoke design for an elegant and athletic appearance.
- Offered in black or silver.

Scope of Delivery:

- 4x REDUST alloy wheels, 19 inches, featuring hub caps adorned with the "R" logo.
- 4 centering rings and 20 screws for assembly
- Strength report / components report to facilitate registration



Spacers

- 36 mm at the front and 40 mm at the rear for each axle
- Including screws and TTG; however, registration must occur in conjunction with rims in accordance with §21.





REDUST velour floor coverings

- Embroidered REDUST logos – a distinctive design for your Duster.
- Superior craftsmanship for enduring protection
- Perfect fit – specifically designed for the Dacia Duster III
- Waterproof backing – safeguards against moisture and dirt.
- Compatible with the original Dacia mounting system for a secure grip.
- Constructed from recycled materials – sustainable and eco-friendly.
- Resilient, long-lasting, and low-maintenance



REDUST footrest cover



- Enhanced comfort, increased safety, and a distinctive appearance for your Dacia Duster.
- Constructed from aluminum checker plate – sturdy and long-lasting.
- No drilling necessary – simple and rapid installation
- Self-adhesive due to pre-applied 3M adhesive tape.
- Integrated anti-slip features for enhanced safety and comfort.
- Extremely lightweight and an ideal fit for the Dacia Duster III.



REDUST door sill set featuring anti-slip relief

- Optimal protection and a stylish appearance—ideal for your Dacia Duster.
- Constructed from aluminum checker plate – sturdy and long-lasting.
- The set comprises four components, ideally suited for the Dacia Duster III.
- Self-adhesive featuring 3M adhesive tape on the reverse – no screws or drilling necessary.
- Sturdy and resilient construction for everyday use.
- Anti-slip texture for enhanced grip during entry and exit.





Information

Add-on components with TTG are exempt from registration: rear spoiler, fender flares.

According to the TTG (ABE): Parts Type Approval (TTG) is the successor to the ABE. As of June 2024, no new ABEs will be accepted. The TTG (Parts Type Approval) has replaced it. Please do not confuse the TTG with the parts certificate; the TTG is equivalent to the ABE.

Approved tire size for the rims: 235/45 R19.

There is no Technical Vehicle Registration Act (TTG). However, a strength certificate or parts certificate is available to facilitate registration. Consequently, usage necessitates individual approval in accordance with Section 21 of the German Road Traffic Licensing Regulations (StVZO) by a recognized testing organization such as TÜV, DEKRA, KÜS, or GTÜ.

The remaining components are exempt from registration.

