

**REOUST**

## OFFROAD LINE



WWW.REDUST.COM

REDUST GmbH - Weser Str. 4 - 47506 Neukirchen-Vluyn  
Tel. -Nr. 02845 / 984 60 12

# Optics



## REDUST wheel arch extensions

- A captivating appearance for your Duster.
- Increases the vehicle width by 20 mm on each side.
- Perfect fit – designed specifically for the Dacia Duster III
- Simple and secure installation – no adhesive necessary
- They are affixed to the original wheel arches.
- Also compatible with vehicles equipped with the City Package (front PDC).
- Constructed from premium ABS plastic – resilient and enduring.
- Offered in a matte black with a rough texture or a glossy black with a smooth finish.
- Registration is unnecessary due to TTG (ABE).

For vehicles equipped with PDC sensors, the appropriate openings for the sensors must be machined into the front bumper.



## REDUST side window decal set

- Exclusive design for a captivating appearance – complementing the Y-style of the Dacia Duster.
- Precisely tailored for the Dacia Duster III – crafted for the side windows.
- Impressive Y-design for a distinctive and contemporary appearance.
- Premium, resilient material – impervious to weathering
- Effortless application and residue-free removal are achievable.
- Available with or without the "REDUST" emblem.
- This product does not necessitate registration.



## REDUST stainless steel exhaust embellishment

- Sporty enhancement for the rear of your Dacia Duster III
- Constructed from premium stainless steel – resilient and weather-resistant.
- Available in two colors: matte black or chrome, featuring an embossed REDUST logo.
- Ideal for Duster III models: mild hybrid (2WD and 4WD) and hybrid.
- This product does not necessitate registration.

# Protection and Benefits



## REDUST aluminum running boards

- An ideal fusion of design and functionality – enhanced comfort and off-road aesthetics.
- Available in black, chrome, or bronze finishes.
- Constructed from premium aluminum – remarkably lightweight and stable
- Length: 183 cm | Height: 7 cm – ideally suited for the Duster III
- Width 14.3 cm, adjustable through specialized holders featuring a sliding mechanism.
- Total weight: 16.8 kg (including holders on both sides)
- Exceptional load capacity: Up to 150 kg per side
- Effortless installation utilizing vehicle-specific brackets
- Powder-coated and resistant to rust for optimal durability.
- Registration is unnecessary due to TTG (ABE).

OR



## REDUST stainless steel side sill tubes

Constructed from premium stainless steel – exceptionally durable and resistant to rust.

- Available in black, chrome, or bronze finishes.
- Length: 183 cm – ideally suited for the Duster III
- Adjustable brackets featuring a sliding mechanism for versatile installation.
- Offers enhanced protection for the vehicle's side.
- Effortless installation utilizing vehicle-specific brackets
- Powder-coated to ensure optimal durability.
- Registration is unnecessary due to TTG (ABE).



## REDUST front protection bar 2WD/4WD

- Available in black, chrome, or bronze finishes.
- Constructed from premium stainless steel – exceptionally sturdy and long-lasting.
- Ideal compatibility for the Dacia Duster III – no alterations to the vehicle required.
- Simple installation facilitated by vehicle-specific brackets.
- Compatible with vehicles equipped with front PDC, blind spot assistance, and a front camera.
- Assembly instructions in both German and English are included with the delivery.
- Registration-free due to EC type approval



## REDUST aluminum underride protection for 2WD/4WD

- Constructed from premium aluminum, resulting in exceptional lightness and stability.
- Offered in black or silver.
- The installation process is remarkably straightforward and can be executed without any additional modifications to your vehicle, as the original mounting points are utilized.
- Material thickness: 3 mm, total weight of the complete set approximately 20 kg.
- This product does not necessitate registration.




# Interior



## REDUST door sill set featuring anti-slip relief

- Optimal protection and a stylish appearance – Ideal for your Dacia Duster.
- Available in aluminum – sturdy and long-lasting
- The set comprises four components, ideally suited for the Dacia Duster III.
- Self-adhesive featuring 3M adhesive tape on the reverse – no screws or drilling necessary.
- Sturdy and resilient design for daily utilization.
- Anti-slip texture for enhanced grip during entry and exit.



## REDUST checker plate floor mats featuring anti-slip relief

- Constructed from aluminum checker plate – sturdy and long-lasting.
- Tailored exclusively for the Duster 3 and compatible with all variants.
- Sturdy construction for optimal safeguarding of the interior.
- Anti-slip texture for a secure grip, even in wet conditions.
- Black rubber edging provides a polished appearance and enhances slip resistance.
- Ideal for both off-road and daily applications.



## REDUST premium seat covers

- Tailored premium seat covers for Dacia Bigster
- Outer material: Black synthetic leather – resilient, easy to maintain, and long-lasting.
- Center panels crafted from premium Alcantara featuring a Y-pattern (four color options)
- Available with or without the REDUST logo on the headrest.
- Simple to don – no requirement to detach the original seats.
- Enhanced seating comfort and preservation of the original seat covers.



## REDUST premium pillows (set of two)

- Crafted from premium Alcantara featuring a Y-pattern.
- Available in four color variations to complement the REDUST Premium seat covers:
- Black, brown, green, or navy blue
- Exquisite decorative stitching and superior craftsmanship
- Significantly enhanced comfort during extended travels.
- Easily drape it over the headrests and fasten it with an elastic band.

# Wheels and Chassis

## REDUST CP-Offroad wheels 16"

- Rim dimensions: 8.0 J x 16 H2, bolt pattern: 5 x 114.3, offset: 25
- Available in the following colors: glossy black, silver, matte black, or matte bronze.
- The use of tire combination 225/65 R16 is exempt from registration due to TTG (ABE).
- Utilization with tire combinations 235/60 R16 and 235/65 R16 is permissible, provided it is accompanied by REDUST wheel arch extensions and individual approval in accordance with §21 StVZO (by TÜV, DEKRA, KÜS, or GTÜ).
- On 4WD vehicles, it may be necessary to slightly bend the brake hose bracket on the rear axle inward by approximately 2–3 mm or, alternatively, to utilize spacers to ensure the necessary clearance.
- When utilizing 235/65 R16 tires, a slight modification to the plastic cover of the front wheel arch may be required to guarantee adequate clearance.
- No additional screws are necessary; the original screws may be reused.
- Scope of delivery: 4 REDUST alloy wheels, 4 hubcaps featuring the "R" logo.

OR

## REDUST BT offroad wheels 16"

- Rim dimensions: 7.0 J x 16 H2, bolt pattern: 5 x 114.3, offset: 25
- Offered in a matte black finish.
- Utilization with tire combinations 215/70 R16, 225/65 R16, and 235/60 R16 is exempt from registration due to TTG (ABE).
- Utilization of the tire combination 235/65 R16 is permissible, but solely in conjunction with individual approval in accordance with §21 StVZO (by TÜV, DEKRA, KÜS, or GTÜ).
- When utilizing 235/65 R16 tires on the Duster III, a slight modification to the plastic cover of the front wheel arch may be required to guarantee adequate clearance.
- Scope of delivery: 4 REDUST alloy wheels, 4 hubcaps featuring the "R" logo.


## Spacers

- 36 mm at the front and 40 mm at the rear for each axle
- Includes screws and TTG; however, registration must occur in conjunction with rims in accordance with §21.

## REDUST 4WD suspension lift kit

- Increased ground clearance, enhanced off-road capability, optimal off-road performance, and established quality:
- Lift kit +30 mm front / +20 mm rear
- Enhanced ground clearance for demanding terrain and off-road excursions.
- Enhanced off-road capability – obstacles are navigated with greater ease.
- Driving comfort remains exceptional – the original suspension is retained.
- Registration-free due to TTG (ABE) / for 2WD without TTG





#### General information

Add-on components with TTG or EC type approval do not necessitate registration: front protection bars, running boards, fender flares, and lift kits.

According to the TTG (ABE): Component Type Approval (TTG) is the successor to the ABE. No new ABEs can be applied for since June 2024, as the TTG has replaced it. Please do not confuse the TTG with the component certificate; the TTG is equivalent to the ABE.

When utilizing tires sized 235/65 R16, a slight modification of the plastic wheel arch cover may be required to guarantee adequate clearance.

The 16" REDUST CP off-road rims paired with the 225/65 R16 tire combination possess type approval (TTG), rendering them registration-free. Alternative tire combinations, such as 235/60 R16 and 235/65 R16, are permissible only when used with REDUST wheel arch extensions and require individual approval in accordance with §21 StVZO (by TÜV, DEKRA, KÜS, or GTÜ).

For 4WD vehicles, it may be necessary to slightly bend the brake hose holder on the rear axle inward by approximately 2-3 mm or, alternatively, to utilize spacers to ensure the necessary clearance.

The 16" REDUST BT off-road wheels, compatible with tire combinations 215/70 R16, 225/65 R16, and 235/60 R16, possess a type approval certificate (TTG), indicating that they do not necessitate registration. The 235/65 R16 tire combination is also permissible, but solely in conjunction with individual approval in accordance with §21 of the German Road Traffic Act (StVZO) (by TÜV, DEKRA, KÜS, or GTÜ).

All other items are exempt from registration and do not necessitate an expert opinion or TTG.

