

REDUST

OFFROAD



WWW.REDUST.COM

REDUST GmbH - Weser Str. 4 - 47506 Neukirchen-Vluyn
Tel.-Nr. 02845 / 984 60 12



REDUST wheel arch extensions

- An eye-catching appearance for your Duster
 - Increases the vehicle width by 20 mm on each side.
 - Ideal fit – designed for the Dacia Duster III
 - Effortless and secure installation – no adhesive necessary
 - They are affixed to the original wheel arches.
 - Also compatible with vehicles equipped with the City Package (front PDC).
 - Constructed from premium ABS plastic – resilient and enduring.
 - Offered in a matte black with a rough texture or a glossy black with a smooth finish.
 - Registration-free, courtesy of TTG (ABE)
- For vehicles equipped with PDC sensors, the appropriate openings for the sensors must be machined into the front bumper.

REDUST hood scoop

- Ideal fit – no modifications necessary
- Constructed from premium plastic – resilient and enduring
- Offered in a matte black with a rough texture or a glossy black with a smooth finish.
- Effortless installation with Sikaflex adhesive (included in the delivery package)
- Registration-free, courtesy of TTG (ABE)

REDUST LED fog lamps

- Daytime running light feature for enhanced visibility in road traffic.
- Fog light functionality enhances visibility in foggy and low-light conditions.
- Compatible with the Dacia Duster III and Duster II – contemporary and premium design
- Registration-free due to EC type approval

Installation guidelines:

Retrofitting LED fog lights may necessitate slight adjustments to the fog light mounting. We advise professional installation to guarantee optimal functionality and integration.

REDUST side window decal Set

- Exclusive design for a captivating appearance – complementing the Y-style of the Dacia Duster.
- Precisely tailored for the Dacia Duster III – crafted for the side windows.
- Impressive Y-design for a distinctive and contemporary appearance.
- Premium, resilient material – impervious to weathering
- Effortless application and residue-free removal are achievable.
- Available with or without the "REDUST" emblem.
- This product does not necessitate registration.



REDUST aluminum roof rack

- Material: Premium aluminum – exceptionally lightweight, durable, and resistant to corrosion.
- Available in black, chrome, or bronze finishes.
- Dimensions: Length 110 cm x Width (front) 130 cm / Width (back) 120 cm x Height 13 cm
- Trapezoidal fit – specifically engineered for the Dacia Duster III
- Load capacity: Up to 100 kg – perfect for luggage, roof tents, or off-road accessories.
- Simple installation without modifications to the vehicle (the roof basket requires assembly).
- An ideal complement for a distinctive off-road design.
- This product does not necessitate registration.

The provided mounting bracket facilitates straightforward installation on the original roof rails without necessitating any alterations to the modular roof rails.

REDUST LED work lights, front and rear

Enhanced LED power for optimal brightness and superior illumination.

- Exceptionally bright cold light for enhanced visibility (front 2x 45 W with 4000 lm each, rear 2x 30 W with 2233 lm each)
- Slim yellow or white LED strips for subtle illumination (can be integrated as daytime running lights)
- Dedicated cabling for the Bigster – Plug & Play installation, cable management, and remote control.
- Exclusively compatible with the REDUST roof basket for an optimal fit.
- Remote control operation with a range of up to 20 meters.
- Superior craftsmanship and Osram LEDs featuring a lifespan of 5,000 hours.
- Registration-free due to EC type approval

REDUST aluminum running boards

- An ideal fusion of design and functionality – enhanced comfort and off-road aesthetics.
- Available in black, chrome, or bronze finishes.
- Constructed from premium aluminum – remarkably lightweight and stable.
- Length: 183 cm | Height: 7 cm – ideally suited for the Duster III
- Width 14.3 cm, adjustable through specialized holders featuring a sliding mechanism.
- Total weight: 16.8 kg (including holders on both sides)
- Exceptional load capacity: Up to 150 kg per side
- Effortless installation utilizing vehicle-specific brackets
- Powder-coated and resistant to rust for optimal durability.
- Registration-free, courtesy of TTG (ABE)

OR

REDUST stainless steel side sill tubes

Constructed from premium stainless steel – exceptionally durable and resistant to rust.

- Available in black, chrome, or bronze finishes.
- Length: 183 cm – ideally suited for the Duster III
- Adjustable brackets featuring a sliding mechanism for versatile installation.
- Offers enhanced protection for the vehicle's side.
- Effortless installation utilizing vehicle-specific brackets
- Powder-coated to ensure optimal durability.
- Registration-free, courtesy of TTG (ABE)

Towbar

- Incorporating a specialized electrical kit from Jäger
- Electrical kit available in 7-pin or 13-pin configurations.
- Offered in both a rigid and a removable version.
- Manufactured in compliance with European Directive 94/20/CE and ISO 9001 standards.
- Sturdy construction – weather-resistant, durable, and low-maintenance
- Effortless installation with the provided assembly instructions.
- Original packaging accompanied by a 2-year manufacturer's warranty.
- Registration-free due to EC type approval

Protection



REDUST front protection bar 2WD/4WD

- Available in black, chrome, or bronze finishes.
- Constructed from premium stainless steel – exceptionally sturdy and long-lasting.
- Ideal compatibility for the Dacia Duster III – no alterations to the vehicle required.
- Simple installation facilitated by vehicle-specific brackets.
- Compatible with vehicles equipped with front PDC, blind spot assistance, and a front camera.
- Registration-free due to EC type approval



REDUST rear protection bar for 2WD/4WD

- Effortless installation facilitated by vehicle-specific brackets.
- Perfect fit with no modifications required for the vehicle.
- Compatible with tow hitch
- Extremely durable and resistant to corrosion
- Available in black, chrome, or bronze finishes.
- Compatible with vehicles equipped with PDC and a reversing camera.
- Registration-free, courtesy of TTG (ABE)

OR

REDUST rear step

- Offered in black or chrome finish.
- Constructed from premium steel – exceptionally sturdy and long-lasting
- Ideal compatibility for the Dacia Duster III – no alterations to the vehicle required.
- Not suitable for towbars.
- Simple installation facilitated by vehicle-specific mounting brackets.
- Assembly instructions in German and English
- Registration-free, courtesy of TTG (ABE)



REDUST aluminum underide protection for 2WD/4WD

- Constructed from premium aluminum, resulting in exceptional lightness and stability.
- Offered in black or silver.
- The installation process is remarkably straightforward and can be executed without any additional modifications to your vehicle, as the original mounting points are utilized.
- Material thickness: 3 mm; total weight of the complete set: approximately 20 kg.
- This product does not necessitate registration.



Motor



REDUST power hub

- Up to 25% increased power / up to 15% reduced fuel consumption
- Three selectable programs featuring seven power levels and application control.
- Effortless installation with a simple plug-in, allowing for residue-free removal.
- Duster TCe 130: +16 hp / +25 Nm / -15% fuel efficiency
- Duster mild hybrid 140: +19 hp / +26 Nm / -15% fuel efficiency
- Duster TCe 100 Eco-G: +17 hp / +31 Nm / -1.6 seconds acceleration from 0 to 100 km/h
- Duster Eco-G 120: +22 hp / +36 Nm / -1.7 sec. acceleration from 0 to 100 km/h
- Duster hybrid-G 150: +22 hp / +36 Nm / -15% fuel efficiency



REDUST pedal box +10% acceleration

- Enhanced driving dynamics and enjoyment through improved throttle response.
- Up to 10% increased acceleration with Eco mode for enhanced fuel efficiency.
- Four programs, operable via remote control.
- Cutting-edge technology - Manufactured in Germany with a 5-year warranty
- Effortless installation with plug connections, reversible without leaving any residue.
- Accessible for all Dacia models

REDUST footrest protector




- Enhanced comfort, increased safety, and a distinctive appearance for your Dacia Duster.
- Constructed from aluminum checker plate – sturdy and long-lasting.
- No drilling necessary – simple and rapid assembly
- Self-adhesive due to pre-applied 3M adhesive tape.
- Integrated anti-slip features for enhanced safety and comfort.
- Extremely lightweight and an ideal match for the Dacia Duster III.

REDUST door sill set featuring anti-slip relief



- Optimal protection and a stylish appearance – Ideal for your Dacia Duster.
- Constructed from aluminum checker plate – sturdy and long-lasting.
- The set comprises four components, ideally suited for the Dacia Duster III.
- Self-adhesive featuring 3M adhesive tape on the reverse – no screws or drilling necessary.
- Sturdy and resilient design for daily utilization.
- Anti-slip texture for enhanced grip during entry and exit.

REDUST checker plate floor mats featuring anti-slip relief



- Available in aluminum – robust and resilient
- Tailored exclusively for the Duster 3 and compatible with all variants.
- Sturdy construction for optimal safeguarding of the interior.
- Anti-slip texture for a secure grip – even in wet conditions.
- Black rubber edging provides a polished appearance and enhanced slip resistance.
- Ideal for both off-road and daily applications.

REDUST trunk mat constructed from corrugated metal



- Available in aluminum – robust and resilient
- Perfect fit – specifically designed for the Dacia Duster III
- Featuring a black rubber edge for an elegant appearance and enhanced stability.
- Simple to maintain and clean – perfect for daily use.
- Anti-slip design ensures secure retention of luggage.
- Perfect for the transportation of luggage, tools, or outdoor equipment.

REDUST premium seat covers



- Tailored premium seat covers for Dacia Bigster
- Outer material: Black synthetic leather – resilient, easy to maintain, and long-lasting.
- Center panels crafted from premium Alcantara featuring a Y-pattern (four color options)
- Available with or without the REDUST logo on the headrest.
- Simple to don – no requirement to detach the original seats.
- Enhanced seating comfort and preservation of the original seat covers.

REDUST premium pillows (set of two)



- Crafted from premium Alcantara featuring a Y-pattern.
- Available in four color variations to complement the REDUST Premium seat covers:
- Black, brown, green, or navy blue
- Exquisite decorative stitching and superior craftsmanship
- Significantly enhanced comfort during extended travels.
- Easily drape it over the headrests and fasten it with an elastic band.

Wheels and Chassis

REDUST CP-Offroad wheels 16"

- Rim dimensions: 8.0 J x 16 H2, bolt pattern: 5 x 114.3, offset: 25
- Available in the following colors: glossy black, silver, matte black, or matte bronze.
- The use of tire combination 225/65 R16 is exempt from registration due to TTG (ABE).
- Utilization with tire combinations 235/60 R16 and 235/65 R16 is permissible, provided it is accompanied by REDUST wheel arch extensions and individual approval in accordance with §21 StVZO (by TÜV, DEKRA, KÜS, or GTÜ).
- On 4WD vehicles, it may be necessary to slightly bend the brake hose bracket on the rear axle inward by approximately 2–3 mm or, alternatively, to utilize spacers to ensure the necessary clearance.
- When utilizing 235/65 R16 tires, a slight modification to the plastic cover of the front wheel arch may be required to guarantee adequate clearance.
- No additional screws are necessary; the original screws may be reused.

Delivery Scope

- 4 alloy rims, 4 hub caps featuring the "R" logo



OR

REDUST BT offroad wheels 16"

- Rim dimensions: 7.0 J x 16 H2, bolt pattern: 5 x 114.3, offset: 25
- Offered in a matte black finish.
- Utilization of tire combinations 215/70 R16, 225/65 R16, and 235/60 R16 is exempt from registration due to TTG (ABE).
- Utilization of the tire combination 235/65 R16 is permissible; however, it requires individual approval in accordance with §21 StVZO (by TÜV, DEKRA, KÜS, or GTÜ).
- When utilizing 235/65 R16 tires on the Duster III, a slight modification to the plastic cover of the front wheel arch may be required to guarantee adequate clearance.

Delivery Scope

- 4 REDUST alloy wheels, 4 hubcaps featuring the "R" logo, screws, and centering rings



Spacers

- 36 mm at the front and 40 mm at the rear for each axle
- Includes screws and a certificate; however, registration must occur in conjunction with the rims.

REDUST suspension elevation kit

- Increased ground clearance, enhanced off-road capability, optimal off-road performance, and established quality:
- Lift kit +30 mm front / +20 mm rear
- Enhanced ground clearance for demanding terrain and off-road excursions.
- Enhanced off-road capability – obstacles are navigated with greater ease.
- Driving comfort remains exceptional – the original suspension is retained.
- Registration-free due to TTG (ABE) / for 2WD without TTG



OR

REDUST 4WD lift kit

- Engineered to enhance off-road performance and driving stability.
- Enhanced ground clearance of approximately 40mm – providing greater elevation for off-road applications.
- Optimal for substantial loads and irregular terrain
- Enhanced driving dynamics achieved through meticulously calibrated shock absorbers.
- Dual-purpose for on-road and off-road – unyieldingly durable

Scope of delivery: 4 shock absorbers, 4 springs, 1 mounting kit, ABS cable. This product includes a parts certificate but necessitates approval from a recognized testing organization such as TÜV, DEKRA, KÜS, or GTÜ.





General information

Add-on components with TTG or EC type approval do not necessitate registration: front protection bars, rear protection bars, running boards, steps, fender flares, hood scoops, lift kits, LED work lights, and trailer hitches.

According to the TTG (ABE): Component Type Approval (TTG) is the successor to the ABE. No new ABEs can be applied for since June 2024, as the TTG has replaced it. Please do not confuse the TTG with the component certificate; the TTG is equivalent to the ABE. When utilizing tires of size 235/65 R16, a slight modification of the plastic wheel arch cover may be required to guarantee adequate clearance.

The 16" REDUST CP off-road rims paired with the 225/65 R16 tire combination possess type approval (TTG), rendering them registration-free. Alternative tire combinations of 235/60 R16 and 235/65 R16 are permissible, but only when used in conjunction with REDUST wheel arch extensions and individual approval in accordance with §21 StVZO (by TÜV, DEKRA, KÜS, or GTÜ). For 4WD vehicles, it may be necessary to slightly bend the brake hose holder on the rear axle inward by approximately 2-3 mm or, alternatively, to utilize spacers to ensure the necessary clearance.

The 16" REDUST BT off-road wheels, compatible with tire combinations 215/70 R16, 225/65 R16, and 235/60 R16, possess a type approval certificate (TTG), indicating that registration is unnecessary. The 235/65 R16 tire combination is also feasible, but it requires individual approval in accordance with §21 of the German Road Traffic Act (StVZO) through TÜV, DEKRA, KÜS, or GTÜ.

All other items are exempt from registration and do not necessitate an expert opinion or TTG.

